

SAFETY DATA SHEET



Conforms to EU regulation EC 1907/2006 and amendments

PREMIER-WFI KLERCIDE 60/40 STERILE ALCOHOL

Code : 113959E

Version : 1

Date of revision : 17 February 2010

1. Identification of the substance/preparation and company/undertaking

Identification of the substance or preparation

Product name : PREMIER-WFI KLERCIDE 60/40 STERILE ALCOHOL

Product use : Surface Disinfectant
Product is for professional use only

Company/undertaking identification

Manufacturer/ : Ecolab Ltd.
Distributor/ : David Murray John Building
Importer : UK-SN1 1NH Swindon, Wiltshire
England
Tel +44 (0)1793 511221
Fax +44 (0)1793 618552
CCS@ecolab.com
Emergency phone: 01793 511221

anti-poison centre : NOT AVAILABLE.

2. Hazards identification

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : R10
Xi; R41
R67

Physical/chemical hazards : Flammable.

Human health hazards : Risk of serious damage to eyes. Vapours may cause drowsiness and dizziness.

See section 11 for more detailed information on health effects and symptoms.

3. Composition/information on ingredients

Substance/preparation : Preparation

Ingredient name	EINECS	CAS	%	Classification
propan-1-ol	200-746-9	71-23-8	30 - 50	F; R11 Xi; R41 R67 [1]
ethanol	200-578-6	64-17-5	20 - 25	F; R11
See section 16 for the full text of the R-phrases declared above				

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] PBT-substance

[4] vPvB-substance

Occupational exposure limits, if available, are listed in section 8.

4. First aid measures**First-aid measures**

- Inhalation** : Move exposed person to fresh air. Get medical attention.
- Ingestion** : Wash out mouth with water. Move exposed person to fresh air. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if adverse health effects persist or are severe.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.
- Eye contact** : Chemical burns must be treated promptly by a physician. Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.
- Specific treatments** : Not available.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

- Extinguishing media - Suitable** : In case of fire, use water spray (fog), foam, dry chemical or CO₂.
- Extinguishing media - Not suitable** : Do not use water jet.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

- Personal precautions** : Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. Avoid breathing vapour or mist. Provide adequate ventilation.
- Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
- Small spill** : Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment.
- Large spill** : Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment.

Note: see section 8 for personal protective equipment and section 13 for waste disposal.

7. Handling and storage

- Handling** : Do not get in eyes or on skin or clothing. Do not ingest. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. After handling, always wash hands thoroughly with soap and water.
- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use.
- Store between the following temperatures: 0 and 25°C
- Packaging materials**
- Recommended** : Use original container.

8. Exposure controls/personal protection

<u>Ingredient name</u>	<u>Occupational exposure limits</u>
propan-1-ol	EH40/2005 WELs (United Kingdom (UK), 8/2007). Absorbed through skin. STEL: 625 mg/m ³ 15 minute(s). STEL: 250 ppm 15 minute(s). TWA: 500 mg/m ³ 8 hour(s). TWA: 200 ppm 8 hour(s).
ethanol	EH40/2005 WELs (United Kingdom (UK), 8/2007). TWA: 1920 mg/m ³ 8 hour(s). TWA: 1000 ppm 8 hour(s).

Exposure controls

Occupational exposure controls	: If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.
Respiratory protection (EN 143, 14387)	: A respirator is not needed under normal and intended conditions of product use.
Hand protection (EN 374)	: 1 - 4 hours : butyl rubber , nitrile rubber
Eye protection (EN 166)	: Goggles, face shield, or other full-face protection.
Skin protection (EN 14605)	: No special recommendations.

9. Physical and chemical properties**General information**

Appearance	
Physical state	: Liquid.
Colour	: Colourless.
Odour	: Alcohol-like.

Important health, safety and environmental information

pH	: Not applicable.
Boiling point	: Not available.
Melting point	: Not available.
Flash point	: 27 °C (Closed cup)
Flammability (solid, gas)	: Not applicable.
Explosive properties	: Not applicable.
Explosion limits	: Lower: 2.1 Vol. %
Oxidising properties	: Not available.
Vapour pressure	: Not applicable.
Relative density	: 0.902 to 0.914 g/cm ³ (20 °C)
Solubility	: Easily soluble in cold water.
Octanol/water partition coefficient	: Not applicable.
Viscosity	: Not available.
Vapour density	: Not available.
Evaporation rate (butyl acetate = 1)	: Not applicable.

10. Stability and reactivity

Stability	: Stable under normal conditions. Do not mix with other products.
------------------	--

11. Toxicological information**Potential acute health effects**

- Inhalation** : Vapours may cause drowsiness and dizziness.
Ingestion : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Eye contact : Risk of serious damage to eyes.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Reproductive toxicity : No known significant effects or critical hazards.

12. Ecological information**Ecotoxicity**

The product is not subject to ecological classification according to directive 1999/45/EC.

Persistence and degradability

The ecological evaluation of the product is based on data from the raw material and/or comparable substances. Readily and rapidly degradable. All organic substances contained in the product achieve > 60% BOD/COD or CO₂ liberation, or > 70% DOC reduction in tests for ease of degradability. Threshold values for 'readily degradable' (e.g. to OECD method 301) are reached.

13. Disposal considerations

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Can be added to general waste collection after completely emptying. Use packages for recycling only when totally empty.
- European waste catalogue (EWC)** : 200113*


14. Transport information**International transport regulations**

Regulatory information	UN number	Proper shipping name	Class	Packing group	Label
ADR/RID Class	UN1987	ALCOHOLS, N.O.S. (Propanol, Ethanol)	3	III	3
IMDG Class	UN1987	ALCOHOLS, N.O.S. (Propanol, Ethanol)	3	III	3

Follow special pack instructions for air transport.

15. Regulatory information**EU regulations**

Hazard symbol/symbols :



Irritant

Risk phrases

- : R10- Flammable.
R41- Risk of serious damage to eyes.
R67- Vapours may cause drowsiness and dizziness.

PREMIER-WFI KLERCIDE 60/40 STERILE ALCOHOL

Safety phrases : S2- Keep out of the reach of children.
S23- Do not breathe gas, fumes or vapour.
S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S39- Wear eye/face protection.
S51- Use only in well-ventilated areas.

National regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

16. Other information

Full text of R-phrases referred to in sections 2 and 3 - United Kingdom (UK) : R11- Highly flammable.
R10- Flammable.
R41- Risk of serious damage to eyes.
R67- Vapours may cause drowsiness and dizziness.

History

Date of printing : 17 February 2010

Date of revision : 17 February 2010

Version : 1

Prepared by : Ecolab Regulatory Department Europe

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

Version 1

Page: 5/5